BOARD OF BARBERING AND COSMETOLOGY

Division 9 of Title 16 of the California Code of Regulations.

SPECIFIC LANGUAGE

LEGEND

<u>Underlined</u> Indicates proposed amendments or additions to the existing

regulation.

Strikeout Indicates proposed deletions to the existing regulation.

(1) Adopt Section 977 to read as follows:

§ 977. Health and Safety Definitions.

The following words and terms, when used in this article, shall have the following meanings:

<u>Autoclave</u> — A device used to sterilize tools, equipment and supplies by subjecting them to high pressure saturated steam at 120°C for a specified time.

Over the Counter — Cosmetology, barbering or electrology products that are made available for purchase by the general public without a physician's prescription.

<u>Cosmetics — Substances used to enhance the appearance of the human body.</u>

<u>Contaminated — The presence of blood or other potentially infectious materials on an item's surface or visible debris or residues such as dust, hair and skin.</u>

Dermis — The layer of skin just below the epidermis; the living layer of the skin.

<u>Disinfect or Disinfection — The use of chemicals to destroy harmful bacteria, viruses and pathogens on implements or tools to render them safe for use.</u>

<u>Disinfectable</u> — <u>Indicates that an item can be successfully disinfected without being damaged</u> or destroyed.

<u>Disinfectant</u> — A product that is registered by the U.S. Environmental Protection Agency that has demonstrated bactericidal, fungicidal and virucidal activity. The products used must include

<u>a label from the manufacturer that indicates the EPA registration and must be in liquid form to disinfect non-electrical tools and spray or toilette form to disinfect electrical tools and shears.</u>

<u>Dry Heat Sterilizer — A device used to sterilize equipment and supplies by use of hot air that is nearly or completely free of water vapor.</u>

<u>Epidermis</u> — The outermost layer of the skin; the non-living layer of the skin.

Electrical Tools — All tools used for barbering, cosmetology and electrology that require electricity to operate by means of an electrical cord, wireless charger, or battery. These include, but are not limited to clippers, blow dryers, curling irons and flat irons.

Hot Styling Tools — Tools that utilize heat to style hair.

Non-Electrical Tools — All tools that are used for barbering, cosmetology and electrology that do not use any form of electricity to operate. These include, but are not limited to shears, razors, cuticle nippers, cuticle pushers, nail clippers, metal files, metal smoothers, combs and hair clips.

<u>Practice of Medicine</u> — The demonstration or application of the learned profession that is mastered by graduate training in a medical school and that is devoted to preventing or alleviating or curing diseases and injuries.

Sanitary — A clean, healthy condition.

Soiled — Dirty.

Sterilize or Sterilization — The process which removes or kills all forms of microbial life, including transmissible agents (such as fungi, bacteria, viruses and spore forms) by use of an autoclave or dry heat sterilizer.

Note: Authority cited: Section 7312, Business and Professions Code. Reference: Section 7312(e), Business and Professions Code.

(2) Amend Section 978 to read as follows:

§ 978. Minimum Equipment and Supplies.

- (a) Establishments and schools shall have and maintain the following minimum equipment and supplies:
- (1) If hair services are performed, At at least one covered waste receptacle container for the disposal of hair. Hair must be disposed of in a covered waste container.
- (2) Closed receptacles containers to hold all soiled towels, gowns, smocks, linens and sheets in public areas.

- (3) Closed, clean cabinets <u>or containers</u> to hold all clean towels, <u>gowns</u>, <u>smocks</u>, <u>linens and</u> sheets.
- (4) Containers for disinfectant solution for instruments tools and equipment to be disinfected. Containers must be labeled "Disinfectant Solution".
- (5) Each container <u>specified in (4)</u> shall contain sufficient disinfectant solution to allow for the total immersion of tools and instruments.
- (6) If electrolysis is performed, a steam (autoclave) or dry heat sterilizer that meets the requirements of Section 982.
- (b) Establishments and schools shall have disinfectant solution, mixed according to manufacturer's directions, available for use at all times.
- (c) A manufacturer-labeled container for the disinfectant used must be available at all times in the establishment or school. <u>During times that the last remaining disinfectant has been used, the empty manufacturer-labeled container must be present.</u>

(3) Amend Section 979 to read as follows:

§ 979. Disinfecting Non-Electrical Instruments Tools and Equipment.

- (a) Before use upon a <u>client patron</u>, all non-electrical <u>instruments</u> <u>tools that can be disinfected</u>, <u>excluding shears</u>, shall be disinfected in the following manner:
 - (1) Clean with soap or detergent and water.
 - (2) Then totally immerse in an EPA-registered disinfectant with demonstrated bactericidal, fungicidal, and virucidal activity, used according to manufacturer's instructions.
- (b) The disinfectant solutions specified in subdivision (a) shall:
 - (1) Remain covered at all times.
 - (2) Be changed <u>according to the manufacturer's instructions.</u> at least once per week or whenever visibly cloudy or dirty.
- (c) All instruments tools that have been used on a patron client or soiled in any manner shall be placed in a properly labeled receptacle. container labeled "Dirty", "Soiled", or "Contaminated".
- (d) All disinfected instruments tools shall be stored in a clean, covered place which is labeled as such. "Clean" or "Disinfected".

- (e) Disinfected tools shall not be placed in a container, pouch or holder which cannot be disinfected.
- (f) Shears shall be disinfected according to the following procedures:
 - (1) Remove all debris.
 - (2) Clean with soap/detergent and water.
 - (3) Spray or wipe the shear with an EPA-registered disinfectant with demonstrated bactericidal, fungicidal, and virucidal activity, used according to manufacturer's instructions.
- (g) Disinfected shears shall not be placed in a container, pouch or holder which cannot be disinfected.
- (e) (h) If instruments tools and equipment specified in this section are sterilized in accordance with the requirements outlined in Section 982, the requirements of this section will be deemed to have been met.

(4) Amend Section 980 to read as follows:

§ 980. Disinfecting Electrical Instruments.

- (a) Clippers, vibrators, and other electrical instruments tools shall be disinfected prior to each use by:
- (1) First removing all debris foreign matter; and
- (2) Disinfecting with an EPA-registered disinfectant <u>spray or wipe</u> with demonstrated bactericidal, fungicidal, and virucidal activity used according to manufacturer's instructions.
- (b) All disinfected electrical <u>tools</u> instruments, excluding curling irons and hot combs, shall be stored in a clean, covered place.
- (c) All soiled electrical tools that have been used on a client, or soiled in any manner, shall be placed in a container labeled "Soiled", "Dirty" or "Contaminated" (excluding hot styling tools).

Note: Authority cited: Section 7312, Business and Professions Code. Reference: Section 7312(e), Business and Professions Code.

(5) Amend Section 980.1 to read as follows:

§ 980.1. Procedures for Cleaning and Disinfecting Whirlpool Footspas, and Air-Jet Basins.

- (a) As used in this section, "whirlpool footspa" or "spa" is defined as any basin using circulating water.
- (b) An air-jet basin is defined as any basin using an air jet stream system to move water.
- (c) After use upon each <u>client</u> patron, each whirlpool footspa or air-jet basin shall be cleaned and disinfected in the following sequential manner:
 - (1) All water shall be drained from the basin.
 - (2) The inside walls of the basin shall be scrubbed and cleaned of all visible <u>debris</u> residue with a clean brush and liquid soap (labeled as such on soap product) and water.
 - (3) The spa basin shall be rinsed with water.
 - (4) The spa basin shall be refilled with clean water.
 - (5) The water in the basin shall be circulated with the correct amount (read manufacturer label for mixing instructions) of the EPA-registered hospital-liquid disinfectant that is labeled as a bactericide, fungicide and virucide, through the basin for at least 10 minutes.
 - (6) The spa basin must be drained, rinsed, and wiped dry with a new, clean paper towel.
 - (7) Record this procedure in the pedicure <u>equipment</u>-cleaning log. The log shall contain the date and time of each cleaning, initials of the person who completed the procedure, and shall indicate that the cleaning was done after a client.
- (d) At the end of each day and after the last client, each whirlpool footspa or air-jet basin shall be cleaned and disinfected in the following sequential manner:
 - (1) The screen and any other removable parts shall be removed.
 - (2) Scrub all visible <u>debris</u> residue from the screen, inside walls of the basin, any other removable parts, and the area behind them with a clean brush and liquid soap and water.
 - (3) Reinsert the clean screen and any other removable parts.
 - (4) Fill the basin with warm water and detergent (labeled as such on detergent product) and circulate the detergent through the spa system for at least 10 minutes (follow manufacturer's instructions).
 - (5) Drain the detergent solution and rinse the basin.

- (6) Refill the basin with clean water and circulate the correct amount (read the label for mixing instructions) of the EPA-registered hospital-liquid disinfectant which the label claims is a bactericide, fungicide, and virucide through the basin for at least 10 minutes.
- (7) Drain, rinse, wipe the basin dry with a <u>new</u>, clean paper towel and allow basin to dry completely.
- (8) Record this procedure in the pedicure <u>equipment</u>-cleaning log. The log shall contain the date and time of each cleaning, initials of the person who completed the procedure, and shall indicate that the cleaning was done at the end of the day.
- (e) At least once each week, after completing the procedures provided in subsection (d) (1 through 6) each whirlpool footspa and air-jet basin shall not be drained and the following sequential procedures shall be followed:
- (1) Do not drain the disinfectant solution. The unit shall be turned off and the disinfecting solution shall be left undisturbed in the unit for at least 6 to 10 hours.
- (2) After the disinfectant solution has been sitting at least between 6 to 10 hours, drain and rinse the basin with clean water.
- (3) Refill the basin with clean water and flush the system.
- (4) Record this procedure in the pedicure <u>equipment</u>-cleaning log. The log shall contain the date and time of each cleaning, initials of the person who completed the procedure, and shall indicate that the cleaning was done weekly.
- (f) The pedicure <u>equipment</u>-cleaning log shall be made available upon request by either a <u>client patron</u> or a board representative.
- (g) A whirlpool footspa that is "Not in Service" must have a notation on the pedicure equipmentcleaning log that the footspa is not in service. The footspa must have an "Not in Service" sign displayed upon the chair and be kept in a clean, sanitary condition.
- (h) (g)A violation of this section may result in an administrative fine and/or disciplinary action. Each footspa or air-jet basin not in compliance with this section may result in a separate violation.

(6) Amend Section 980.2 to read as follows:

§ 980.2. Procedures for Cleaning and Disinfecting Pipe-Less Footspas.

(a) As used in this section, "Pipe-Less" "pipe-less" footspa is defined as any unit with footplates, impellers, impeller assemblies and propellers.

- (b) After use upon each <u>client</u> patron, each <u>Pipe-less</u> pipe-less footspa shall be cleaned and disinfected in the following sequential manner:
 - (1) All water shall be drained from the spa basin.
 - (2) Remove footplate, and any other removable components according to the manufacturer's instructions.
 - (3) Scrub all visible <u>debris</u> residue from the impeller, footplate, inside walls of the basin, and/or other components and the areas behind or under each with a clean brush and liquid soap (labeled as such on soap product) and water. Rinse with clean water.
 - (4) Reinsert the properly cleaned footplate, and/or other components.
 - (5) Refill the basin with clean water and circulate the correct amount (read the label for mixing instructions) of the EPA-registered hospital-liquid disinfectant which the label claims is a bactericide, fungicide, and virucide, through the basin for at least 10 minutes.
 - (6) Drain, rinse and wipe the basin dry with a <u>new</u>, clean paper towel.
 - (7) Record this procedure in the pedicure <u>equipment</u>-cleaning log. The log shall contain the date and time of each cleaning, initials of the person who completed the procedure, and shall indicate that the cleaning was done after a client.
- (c) At the end of every day and after performing the procedures provided in subsection (b) (1 through 7) and after the last client, each pipe-less footspa shall be cleaned and disinfected in the following sequential manner:
 - (1) Fill the basin with warm water and detergent (labeled as such on detergent product) and circulate the detergent through the spa system for at least 10 minutes (follow manufacturer's instructions).
 - (2) Drain the detergent solution and rinse the basin.
 - (3) Refill the basin with clean water and circulate the correct amount (read the label for mixing instructions) of the EPA-registered hospital-liquid disinfectant which the label claims is a bactericide, fungicide, and virucide, through the basin for at least 10 minutes.
 - (4) Drain, rinse and wipe the basin dry with a new, clean paper towel.
 - (5) Allow the basin to dry completely.
 - (6) Record this procedure in the pedicure <u>equipment</u>-cleaning log. The log shall contain the date and time of each cleaning, initials of the person who completed the procedure, and shall indicate that the cleaning was done at the end of the day.
- (d) At least once each week, after completing the procedures provided in subsection (c) (1 through 3), and the disinfectant solution in each pipe-less footspa shall not be drained and the following sequential procedures shall be followed:

- (1) The unit shall be turned off and the disinfecting solution shall be left in the unit undisturbed for at least 6 to 10 hours.
- (2) After the disinfectant solution has been sitting <u>at least</u> between 6 to 10 hours, rinse and wipe the basin dry with a <u>new</u>, clean paper towel.
- (3) Record this procedure in the pedicure <u>equipment</u>-cleaning log. The log shall contain the date and time of each cleaning, initials of the person who completed the procedure, and shall indicate that the cleaning was done weekly.
- (e) The pedicure <u>equipment</u>-cleaning log shall be made available upon request by either a client patron or a board representative.
- (f) A pipe-less footspa that is "Not in Service" must have a notation on the pedicure equipmentcleaning log that the footspa is not in service. The footspa must have an "Not in Service" sign displayed upon the chair and be kept in a clean, sanitary condition.
- (g) (f) A violation of this section may result in an administrative fine and/or disciplinary action. Each pipe-less footspa not in compliance with this section may result in a separate violation.

(7) Amend Section 980.3 to read as follows:

§ 980.3. Procedures for Cleaning and Disinfecting Non-Whirlpool Foot Basins or Tubs.

- (a) As used in this section, "Non-Whirlpool Foot Basin" or "Tubs" "non-whirlpool foot basins" or "tubs" are defined as any basin, tub, footbath, sink, and bowl, and all non-electrical equipment that holds water for a client's feet during a pedicure service.
- (b) After use upon each <u>client patron</u>, each Non-Whirlpool Basin or Tub <u>non-whirlpool foot basin or tub</u> shall be cleaned and disinfected in the following sequential manner:
 - (1) All water shall be drained from the foot basin or tub.
 - (2) The inside surfaces of the foot basin or tub shall be scrubbed and cleaned of all visible <u>debris</u> residues with a clean brush and liquid soap (labeled as such on soap product) and water.
 - (3) The foot basin or tub shall be rinsed with clean water.
 - (4) Refill the foot basin or tub with clean water and the correct amount (read the label for mixing instructions) of the EPA-registered hospital-liquid disinfectant which the label claims is a bactericide, fungicide, and virucide. Leave the disinfecting solution in the foot basin or tub for at least 10 minutes.
 - (5) Drain, rinse and wipe the basin dry with a new, clean paper towel.

- (6) Record this procedure in the pedicure <u>equipment</u>-cleaning log. The log shall contain the date and time of each cleaning, initials of the person who completed the procedure, and shall indicate that the cleaning was done after a client.
- (c) The pedicure equipment-cleaning log shall be made available upon request by either a client patron or a board representative.
- (d) A violation of this section may result in an administrative fine and/or disciplinary action. Each non-whirlpool foot basin or tub not in compliance with this section may result in a separate violation.
- (e) All disinfected basins or tubs shall be stored in a clean, covered place which is labeled "Clean" or "Disinfected".

(8) Adopt Section 980.4 to read as follows:

§ 980.4 Disposable Foot Tub Liners.

- (a) Single use, disposable, recyclable, liners designed specifically and manufactured for use as a foot basin or tub liner shall be disposed of immediately after each use and may not be disinfected or reused.
 - (1) After disposal of the pedicure basin liner the basin or tub shall be scrubbed and cleaned of all visible debris with a clean brush and liquid soap (labeled as such on soap product) and water. The foot basin or tub shall be rinsed with clean water and wiped dry with a new, clean paper towel.
 - (2) Record the cleaning procedure in the pedicure equipment cleaning log. The log shall contain the date and time of each cleaning, initials of the person who completed the procedure, and shall indicate that the cleaning was done after a client.
 - (3) The pedicure equipment-cleaning log shall be made available upon request by either a client or a board representative.
 - (4) Establishments that utilize the liners must maintain an adequate supply of liners for use at all times. An adequate supply of liners constitutes 5 liners per foot tub.

Note: Authority cited: Sections 7312 and 7406, Business and Professions Code. Reference: Section 7312(e), Business and Professions Code.

(9) Amend Section 981 to read as follows:

§ 981. <u>Tools Instruments</u> and Supplies.

- (a) All tools instruments and supplies which come into direct contact with a <u>client patron</u> and cannot be disinfected (for example, including, but not limited to, buffers, pumice stones, wax sticks, toe separators, gloves, cotton pads, sponges, emery boards, and neck strips) shall be disposed of in a waste <u>container receptacle</u> immediately after <u>a single</u> use.
- (b) New supplies and single-use, disposable tools shall be stored in a clean, covered place labeled 'New".
- (b) (c) No person working or training in an establishment or school shall be permitted to carry any tools instrument or supplies in or on a garment or uniform (including pouches and holsters) while practicing any of the acts as defined in Section 7316 of the Business and Professions Code.

Note: Authority cited: Section 7312, Business and Professions Code. Reference: Section 7312(e), Business and Professions Code.

(10) Amend Section 982 to read as follows:

§ 982. Sterilizing Electrolysis Instruments. <u>Tools and Use of Electrology Needles/Wire</u> Filaments.

- (a) Before use upon a <u>client patron</u> in schools and establishments, <u>all tools that can be</u> <u>sterilized</u> <u>each electrolysis needle or tweezers</u> shall be <u>first cleaned with detergent and water</u> (which may include the use of ultrasonic equipment) and then be sterilized in the following manner by one of the following methods:
 - (1) <u>Clean with detergent and water (which may include the use of ultrasonic equipment) and then sterilized by one of the following methods:</u>
 - (A) Steam sterilizer (autoclave), registered and listed with the federal U.S. Food and Drug Administration, used according to manufacturer's instructions.
 - (B) Dry heat sterilizer, registered and listed with the <u>U.S.</u> federal Food and Drug Administration, used according to manufacturer's instructions.
 - (C) Chemical (color change) indicators must be used on each sterilized package to indicate the sterilization process was completed.
 - (2) All sterilized tools shall remain in the package they were sterilized in until ready for use. This package must be labeled 'sterilized' or 'sterilization'.
 - (3) All tools that have been used on a client or soiled in any manner shall be placed in a container labeled dirty, soiled or contaminated.

- (b) (4) Sterilization equipment shall be checked weekly to ensure that it is reaching the temperature required by manufacturer's instructions.
- (b) Electrology needles/wire filaments shall be single-use, pre-sterilized and disposable.

 Disposable needles/wire filaments must be placed in a puncture resistant sharps container immediately after use, when contaminated before use, when opened and found damaged, or when not used before the pre-printed expiration date.

(11) Amend Section 983 to read as follows:

§ 983. Personal Cleanliness.

- (a) The person and attire of a licensee serving a client patron shall at all times be clean.
- (b) Every licensee performing services shall thoroughly wash his or her hands with soap and water or any equally effective <u>alcohol-based</u> cleansing agent immediately before serving each client patron.

Note: Authority cited: Section 7312, Business and Professions Code. Reference: Section 7312(e), Business and Professions Code.

(12) Amend Section 984 to read as follows:

§ 984. Disease and Infestation.

- (a) No establishment or school shall knowingly permit a person afflicted with an infection or parasitic infestation capable of being transmitted to a <u>client patron</u> to serve <u>clients patrons</u> or train in the establishment or school.
- (b) No establishment or school shall knowingly require or permit a licensee or student to work upon a person with an infection or parasitic infestation capable of being transmitted to the licensee or student.
- (c) Infections or parasitic infestation capable of being transmitted between licensee or student and <u>client patron</u> include, but are not limited to, the following:
- Cold, influenza or other respiratory illness accompanied by a fever, until 24 hours after resolution of the fever.
- Streptococcal pharyngitis ("Strep throat"), until 24 hours after treatment has been initiated, and 24 hours after resolution of fever.

- Purulent conjunctivitis ("pink eye"), until examined by a physician and approved for return to work.
- Pertussis ("whooping cough"), until five days of antibiotic therapy has been completed.
- Varicella ("chicken pox"), until the sixth day after onset of rash or sooner if all lesions have dried and crusted.
- Mumps, until nine days after onset of parotid gland swelling.
- Tuberculosis, until a physician or local health department authority states that the individual is noninfectious.
- Impetigo (bacterial skin infection), until 24 hours after treatment has begun.
- Pediculosis (head lice), until the morning after first treatment.
- Scabies ("crabs"), until after treatment has been completed.
- (d) Blood-borne diseases, such as HIV/AIDS and hepatitis B (HBV), shall not be considered infectious or communicable diseases for the purpose of this section.
- (e) No person working or training in an establishment or school shall massage any person perform services upon a surface of the skin or scalp where such skin is inflamed, broken (e.g., abraded, cut) or where a skin infection or eruption is present.

(13) Amend Section 985 to read as follows:

§ 985. Neck Strips.

A sanitary neck strip or towel shall be used to keep the protective covering, such as client capes, from coming in direct contact with a client patron's neck.

Note: Authority cited: Section 7312, Business and Professions Code. Reference: Section 7312(e), Business and Professions Code.

(14) Amend Section 986 to read as follows:

§ 986. Neck Dusters and Brushes.

(a) Before use on a client, neck or nail Neck-dusters and all other or manicure brushes that are used in an establishment or school on a client patron shall be maintained in a clean and sanitary condition. cleaned in the following manner:

(1) Remove all visible debris.

- (2) Clean with soap/detergent and water.
- (3) Dry duster or brush.
- (4) Store all clean dusters or brushes in a clean, covered place which is labeled 'clean'.
- (5) All dusters or brushes that have been used on a client or soiled in any manner shall be placed in a container labeled dirty, soiled or contaminated.
- (b) Before use on a client, natural fiber, facial, acrylic, gel, nail-art, and makeup brushes used in an establishment or school, on a client, shall be cleaned in the following manner:
 - (1) Remove all visible debris
 - (2) <u>Disinfect by using a cleansing agent(s) such as: monomer, makeup brush liquid/spray cleaner, alcohol, acetone or a similar disinfecting agent, in accordance to the manufacturer's instructions, for disinfection.</u>
 - (3) Dry brush.
 - (4) Store all clean brushes in a clean, covered place which is labeled 'clean'.
 - (5) All brushes that have been used on a client or soiled in any manner shall be placed in a container labeled "Dirty", "Soiled" or "Contaminated".

(15) Amend Section 987 to read as follows:

§ 987. Towels.

- (a) After a towel, sheet, robe, linen or smock has once been used once, it shall be deposited in a closed container receptacle and not used until properly laundered and sanitized.
- (b) Towels, sheets, robes, linens and smocks shall be laundered either by regular commercial laundering or by a noncommercial laundering process which includes immersion in water at least 140 160 degrees F for not less than fifteen (15) twenty-five (25) minutes during the washing or rinsing operation.
- (c) All clean towels, sheets, robes, linens and smocks shall be stored in clean, closed cabinets or a clean, closed container.

Note: Authority cited: Section 7312, Business and Professions Code. Reference: Section 7312(e), Business and Professions Code.

(16) Amend Section 988 to read as follows:

§ 988. Liquids, Creams, Powders and Cosmetics.

(a) All liquids, creams, <u>waxes</u>, <u>shampoos</u>, <u>gels</u> and other cosmetic preparations shall be kept in clean and closed containers. Powders may be kept in clean shakers.

- (b) All bottles and containers shall be distinctly and correctly labeled to disclose their contents. All bottles and containers containing poisonous substances shall be additionally and distinctly marked as such. Poisonous substances that are maintained in the manufacturer-labeled container are not required to have additional labeling.
- (c) When only a portion of a cosmetic preparation is to be used on a <u>client patron</u>, it shall be removed from the container in such a way as not to contaminate the remaining portion.
 - (1) This provision does not apply to cosmetic preparations that have been demonstrated to be unlikely to transmit pathogens, (e.g. nail polish, artificial nail monomer liquids)
- (d) Pencil cosmetics shall be sharpened before each use.

(17) Amend Section 989 to read as follows:

§ 989. Prohibited Hazardous Substances/Use of Products.

No establishment or school shall:

- <u>All Mave have</u> on the premises cosmetic products containing hazardous substances which have been banned by the U.S. Food and Drug Administration for use in cosmetic products, including liquid methyl methacrylate monomer and methylene chloride. No product shall be used in a manner that is disapproved by the FDA.
- b) Have on the premises methyl methacrylate monomer and/or methylene chloride.
- c) Use a product in a manner that is disapproved by the FDA, OSHA or the EPA.

Note: Authority cited: Section 7312, Business and Professions Code. Reference: Section 7312(e), Business and Professions Code.

(18) Amend Section 990 to read as follows:

§ 990. Headrests and Treatment Tables.

- (a) The headrest of chairs shall be covered with a clean towel or paper sheet for each <u>client</u> patron.
- (b) Shampoo trays and bowls must be cleansed with soap and water or other detergent after each shampoo, kept in good repair and in a sanitary condition at all times.
- (c) Treatment tables must be covered with <u>either</u> a clean sheet of examination <u>treatment table</u> paper, a clean towel or a clean sheet, after each use. for each patron. After a towel or sheet has been used once, it shall immediately be removed from the treatment table and be deposited in a

closed container and not used again until it has been properly laundered and sanitized. Treatment table paper shall be immediately disposed of after a single use.

Note: Authority cited: Section 7312, Business and Professions Code. Reference: Section 7312(e), Business and Professions Code.

(19) Amend Section 991 to read as follows:

§ 991. Invasive Procedures.

- (a) No licensee may perform a medical treatment defined as the care and management of a patient to combat, ameliorate or prevent a disease, disorder or injury any act which affects the structure or function of living tissue of the face or body. Any such act shall be considered an invasive procedure.
- (b) Invasive procedures include, but are not limited to, the following:
 - (1) Application of electricity which contracts the muscle.
 - (2) Application of topical lotions, creams, <u>serums</u> or other substances which affect living tissue.
 - (3) Penetration of the skin by metal needles, except electrolysis needles.
 - (4) Abrasion and/or exfoliation of the skin below the non-living, epidermal layers.
 - (5) Removal of skin by means of a razor-edged instrument. tool or similar device.

Note: Authority cited: Section 7312, Business and Professions Code. Reference: Sections 7312(e), 7316, 7320, 7320.1, Business and Professions Code.

(20) Amend Section 992 to read as follows:

§ 992. Skin Peeling. Exfoliation.

- (a) Only the non-living, uppermost layers of the facial skin, known as the epidermis, may, by any method or means, be removed, and then only for the purpose of beautification.
- (b) Skin removal techniques and practices which affect the living layers of the facial skin, known as the dermis, are prohibited and constitute the practice of medicine.
- (c) Only-commercially-available over-the-counter products that are not sold for physician's use only, that are not over 30% acid content or that have a start-up pH of 3.0 or higher, may be used for the purpose of skin exfoliation. for the removal of facial skin for the purpose of beautification may be used. Mixing or combining skin removal products is prohibited except as it is required by manufacturer instructions.

- (d) Use of skin exfoliation products with an acid content over 30% or a pH under 3.0 shall be considered the practice of medicine.
- (e) All skin exfoliation products must be applied using the manufacturer's guidelines for health and safety.

(21) Amend Section 993 to read as follows:

§ 993. Prohibited Instruments. Tools.

- (a) No establishment or school shall have on the premises <u>or use</u> any razor-edged or other device or tool <u>for the purpose of which is designed to remove removing</u> calluses <u>or other similar procedures.</u>
- (b) No establishment or school shall have on the premises <u>or use</u> any needlelike <u>tool</u> instrument which is used for the purpose of extracting skin blemishes and other similar procedures.

Note: Authority cited: Section 7312, Business and Professions Code. Reference: Sections 7312(e), 7320, and 7320.1, Business and Professions Code.

(22) Amend Section 994, California Code of Regulations, as follows:

§ 994. Cleanliness and Repair.

- (a) Establishments and schools shall keep the floors, walls, woodwork, ceilings, furniture, furnishing, and fixtures clean and in good repair.
- (b) No establishment or school shall permit an accumulation of waste, hair clippings or refuse.

Note: Authority cited: Section 7312, Business and Professions Code. Reference: Section 7312(e), Business and Professions Code.